Dkt. 40441-C1Y/JPW/AJM/NFM

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

pplicants Walter P. Carney, et al.

Examiner: S. J. Huff U.S. Serial No.: 08/488,180

Filed June 7, 1995 Group Art Unit: 1642

For DETECTION AND QUANTIFICATION OF NEU RELATED

PROTEINS IN THE BIOLOGICAL FLUIDS OF HUMANS

1185 Avenue of the Americas New York, New York 10036

December 5, 2003

Mail Stop AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

SIR:

PETITION FOR AN ADDITIONAL TWO-MONTH EXTENSION OF TIME

On June 6, 2003, a Final Office Action was issued in connection with the subject application. On October 6, 2003, applicants filed a Communication in Response to June 6, 2003 Final Office Action and Petition for One-Month Extension of Time. Applicants hereby request an additional two-month extension of time for The required fee for an additional two month extension is EIGHT HUNDRED AND FORTY DOLLARS (\$840.00) and a check for this amount is enclosed.

A response is now due December 6, 2003. Accordingly, the subject application is pending today and the Notice of Appeal being filed concurrently herewith is timely filed.

12/09/2003 SZEWDIE1 00000090 08488180

01 FC:1253

840.00 OP

Applicants: Walter P. Carney, et al.

Serial No.: 08/488,180 Filing Date: June 7, 1995

Page 2

No fee, other than the enclosed \$840.00 extension of time fee, is deemed necessary in connection with the filing of this Petition. However, if any additional fee is required, authorization is given to charge the amount of such fee to Deposit Account No. 03-3125.

I hereby certify that this correspondence is being deposited this date with the U.S. Postal Service with sufficient postage as first class mail in an envelope addressed to:

Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450

Alan J. Morrison Reg. No. 37,399 Respectfully submitted,

John P. White Registration No. 28,678 Alan J. Morrison Registration No. 37,399 Attorneys for Applicants Cooper & Dunham, LLP 1185 Avenue of the Americas New York, New York 10036 (212) 278-0400